

SHV001725

MAN TGX 18.460 4X2 BLS



Price

Offer Date

38,990 EUR (net) **46,398 EUR** (gross) 20.07.2025

| Body type |
|------------------|
| 1st reg. |
| Power |
| Mileage |
| Storage location |

Tractor unit 05/2019 338kW (460 HP) 212883 km Otopeni - MHS Truck Service

BASIC DATA

| Brand | MAN |
|---------------|-------------------------|
| Model serie | TGX |
| Model variant | TGX TG2 |
| Body type | Tractor unit (Standard) |
| Colours | white |
| Driver's cab | XL |
| Berths | 1 berth |

TECHNICAL DATA

| Power | 338 kW (460 HP) |
|--------------|---------------------|
| Fuel | Diesel |
| Gearbox type | Manual |
| Wheel drive | 4x2 |
| Suspension | Leaf air suspension |
| Axles | 2 axles |

WEIGHTS AND MEASURES

| GVW | 18,000 kg |
|-------------------|------------------|
| Rear overhang | 750 mm |
| Wheel base | 3600 mm |
| Fuel tank | AdBlue: 60 l |
| | Fuel tank: 400 l |
| Emission category | Euro6 |



EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Immobilizer
- Kerb mirror: right
- Heated wide angle mirror

Comfort

- Adjustable steering column
- Electric window lift 2x
- Air conditioning
- Driver's armrest
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat
- Cup holder front
- Isolated driver's cab
- DC/AC converter

Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- Digital tachograph
- Sun visor
- Carpet floor covering

Assistance systems

- Cruise control
- MAN BrakeMatic
- Speed limiter

Exterior

- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- PTO: PTO NH/1C without flange f0.91/1.09right side, horizontal
- Fifth wheel

Audio & communication

- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector

Light and sight

- Tinted glass
- Headlight range control
- Daytime running lights



- 1x15 pin plug
- Cab Suspension
- Working lights
- Lifting roof (manual)
- RIO Box

Others

front springs parabolic 8.0 t, rear air suspension 13 t, hub reduction rear axle AP HP-1352, planetary axle ratio i 3.63, fuel filter heating, cab insulation NORDIC, wiring for tank truck to ADR, ADR Typ AT, trailer socket 24V (15-pin), pick-up plate 40 mm

Wheels and tyres

Spare wheel carrier